
pymatreader Documentation

Release 0.0.33dev0

Dirk Gütlin & Thomas Hartmann

Aug 09, 2023

Contents:

1	Introduction	1
2	Install	3
3	Reference	5
4	In case of problems	7
5	If you want to contribute	9
	Python Module Index	11
	Index	13

CHAPTER 1

Introduction

`pymatreader` is a small python package that provides a consistent way of loading all versions of Matlab `.mat` files.

`pymatreader` returns a python `dict` with all the variables found in the `.mat` file. Matlab data types are converted to python datatypes as follows:

Matlab	Python
Primitive types (double, single, int, string)	Primitive numpy types (double, single, int, string)
Structure	dict
Matrix/Vector	numpy ndarray
Cell array	list
Struct array	dict containing lists

CHAPTER 2

Install

pymatreader is available via [pypi](#):

```
pip install pymatreader
```

You can also install it via [conda](#):

```
conda install -c obob pymatreader
```


pymatreader only has one function:

`pymatreader.read_mat(filename, variable_names=None, ignore_fields=None, uint16_codec=None)`

This function reads .mat files of version <7.3 or 7.3 and returns the contained data structure as a dictionary of nested substructure similar to `scipy.io.loadmat` style.

Parameters

- **filename** (*str*) – Path and filename of the .mat file containing the data.
- **variable_names** (*list of strings, optional*) – Reads only the data contained in the specified dict key or variable name. Default is None.
- **ignore_fields** (*list of strings, optional*) – Ignores every dict key/variable name specified in the list within the entire structure. Only works for .mat files v 7.3. Default is [].
- **uint16_codec** (*str | None*) – If your file contains non-ascii characters, sometimes reading it may fail and give rise to error message stating that “buffer is too small”. `uint16_codec` allows to specify what codec (for example: ‘latin1’ or ‘utf-8’) should be used when reading character arrays and can therefore help you solve this problem.

Returns A structure of nested dictionaries, with variable names as keys and variable data as values.

Return type dict

CHAPTER 4

In case of problems

Please raise an issue here: <https://gitlab.com/obob/pymatreader/issues>

CHAPTER 5

If you want to contribute

Your contribution is always welcome!

pymatreader is developed on gitlab: <https://gitlab.com/obob/pymatreader>

Please make sure to include proper tests and adhere to the [PEP 8 Style Guide](#).

p

`pymatreader`, 5

P

`pymatreader` (*module*), [5](#)

R

`read_mat()` (*in module pymatreader*), [5](#)